



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/826,173	04/16/2004	Kanji Kirmoto	SIC-04-021	9874
29863	7590	05/11/2007		
DELAND LAW OFFICE P.O. BOX 69 KLAMATH RIVER, CA 96050-0069			EXAMINER WILLIAMS, THOMAS J	
			ART UNIT 3683	PAPER NUMBER
			MAIL DATE 05/11/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/826,173	Applicant(s) KIRMOTO ET AL.	
	Examiner Thomas J. Williams	Art Unit 3683	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 April 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-61, 67-74 and 6365 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-36, 61, 63-65, 67 and 68 is/are allowed.
- 6) ☒ Claim(s) 37-60 and 69-74 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Acknowledgment is made in the receipt of the amendment filed April 26, 2007.
2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on April 26, 2007 has been entered.

Reissue Applications

3. Claims 37-60 and 69-74 are rejected under 35 U.S.C. 251 as being improperly broadened in a reissue application made and sworn to by the assignee and not the patentee. A claim is broader in scope than the original claims if it contains within its scope any conceivable product or process which would have infringed the original patent. A claim is broadened if it is broader in any one respect even though it may be narrower in other respects.

Claims 37 and 72-74 omit limitations pertaining to the interior of the actuating mechanism, specifically “an input cam movably mounted within the caliper housing to move in a rotational direction about a longitudinal axis, but not in an axial direction, said input cam having a first camming surface with an axially extending guide member non-movably fixed thereto at said longitudinal axis, and an output cam movably mounted within said caliper housing to move in the axial direction in response to rotation of said input cam, but not in the rotational direction, said output cam having a second camming surface with an axially extending bore, said guide member being at least partially disposed within said bore to ensure smooth relative movement between said input and

Art Unit: 3683

output cams”, added during prosecution of 09/531,570 (US 6,557,671) in the amendment dated November 8, 2002 to overcome the outstanding rejection in view of Kawaguchi (US 3,789,959) mailed July 11, 2002.

The above limitations have been replaced with new limitations directed to an exterior portion of the actuating arm, specifically “wherein the actuated mechanism comprises an elongated actuating arm rotatably coupled to the caliper housing to cause the actuated mechanism to move the first friction member from the release position towards the braking position; and wherein the actuating arm has a curved surface with a first portion coincident with a cable clamp and a second portion that extends from the first portion towards the cable support so that the cable, when coupled to the cable clamp, approaches the guide surface from the opening in the cable support essentially tangent to the guide surface and is supported by the guide surface when the first friction member is in the release position”.

The omitted limitations relate to previously surrendered subject matter and are directed to the input cam and the output cam and the specifics thereof, whereas the replacement limitations are directed to the actuating arm. The replacement limitations are not related to the omitted limitations, therefore a recapture rejection exists.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claims 37-45, 47-53 and 69-74 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 5,647,475 to Le Deit et al. in view of US 4,582,177 to Carre et al. and in view of US 6,148,964 to Huang.

Re-claims 37-40, 54 and 72-74, Le Deit et al. teach a cable disc brake capable for use on a bicycle, comprising: a caliper housing 12/46/48, a cable support 44 once positioned is not adjustable in any direction relative to the surface of the caliper housing, a first friction member 20a and a second friction member 20b; an actuating mechanism 10 that moves the first friction member towards the second friction member for engaging a rotor 11; the actuating mechanism comprises an elongated actuation arm 32 coupled to the caliper housing to cause the mechanism to move the first friction member from the release position to the braking position. With regards to claim 72, once the cable support is in place it may remain in place indefinitely as desired, steps leading up to final assembly are not considered when looking at the apparatus at completion. With regards to claims 73 and 74, as stated previously the cable support can be left alone and never removed, and as such is not removable, or not adjustable, relative to caliper housing. However, Le Deit et al. fail to teach the actuating arm having the specific structure as

Art Unit: 3683

recited in claim 37, in particular the curved guide surface, and Le Deit et al. fail to teach a mounting bracket on a bicycle for supporting the brake assembly.

Carre et al. teach a cable actuated disc brake having an actuating arm with a curved guide surface with a first portion coincident with a cable clamp 58 and a second portion that extends from the first portion to a cable support, such that when the cable is coupled to the actuation arm, the cable approaches the guide surface from the cable support (in particular the support taught by Le Deit et al.) essentially in a straight line and essentially tangent to the guide surface and is supported by the guide surface when the friction member is in the release position. Furthermore, Carre et al. teach that the curved guide surface formation of the actuation arm provides for an increase in torque exerted during rotation, see column 4 lines 61-64. It would have been obvious to one of ordinary skill in the art to have replaced the actuating arm of Le Deit et al. with the actuating arm taught by Carre et al., thus improving the overall brake performance of the cable actuated brake mechanism. With regards to claims 38-40, the guide surface is formed by a projection that extends towards the cable support (see figure 6); a radially outer portion extends towards the cable support, a radially inner portion extends away from the cable support, the radially inner portion is illustrated as a slight inwardly slanted surface; the projection is disposed in close proximity to a radially outermost portion of the arm.

Huang teaches a common mounting bracket 4 structured as part of a bicycle for receiving and holding in place a mechanical disc brake assembly. It would have been obvious to one of ordinary skill in the art when having utilized the disc brake assembly of Le Deit et al. on a bicycle to have provided the bicycle with the type of mounting bracket as taught by Huang, thus providing an easy means by which to mount the brake assembly to the bicycle.

Art Unit: 3683

Re-claims 41 and 42, see spring around the cable in figure 2.

Re-claims 43-45, see bolt 60, arm 44 is capable of being rotated relative to the caliper housing thus adjusting the biasing force of the spring.

Re-claim 47, see bolt 60.

Re-claims 48 and 49, see column 2 lines 37-40.

Re-claims 50-53, Le Deit et al. as modified by Carre et al. fail to teach the specifics of the disc brake when mounted to a front fork of a bicycle. Huang teaches a typical manner by which to mount a mechanical disc brake to a front fork of a bicycle. The caliper housing includes a first mounting flange with a first opening 317, a second mounting flange with a second opening 317, the first opening is above a rotational axis, the second opening is below the rotational axis, the cable support is disposed about the rotational axis, the guide surface (as taught in Carre et al.) would be rearwardly of the rotational axis, and the cable support is rearwardly of the rotational axis. It would have been obvious to one of ordinary skill to have utilized the teachings of Huang when having mounted the brake apparatus of Le Deit et al. as modified by Carre et al., on a front fork of a bicycle, thus utilizing the front fork as a means of protecting the brake assembly from frontal impact.

Re-claim 69, the cable support 44 is immobilized (see column 3 lines 39-43) with respect to the caliper housing 12 and as such is broadly interpreted as being one with the caliper housing.

Re-claim 70, the cable support comprises an elongated member.

Re-claim 71, once the support member is immobilized with respect to the housing the elongated member, that forms the opening, is immovable relative to the surface of the caliper housing.

Art Unit: 3683

7. Claim 46 is rejected under 35 U.S.C. 103(a) as being unpatentable over Le Deit et al. in view of Carre et al. and Huang as applied to claim 44 above, and further in view of US 5,201,402 to Mott.

Le Deit et al. fail to teach readjusting the biasing force of the spring by coupling the second end of the spring at various positions. Mott teaches the use of a plurality of holes for receiving an end of a torsion spring. The various positions of the holes offer different biasing forces. It would have been obvious to one of ordinary skill in the art to have provided the caliper housing, and even the actuating arm of Le Deit et al. with a plurality of holes for receiving an end of the torsion spring as taught by Mott, this would have provided an easy means by which to vary the biasing force of the spring.

8. Claims 55-59 are rejected under 35 U.S.C. 103(a) as being unpatentable over Le Deit et al. in view of Carre et al. and Huang as applied to claim 37 above, and further in view of US 5,960,914 to Isai.

Re-claims 55, 56, 58 and 59, Le Deit et al. as modified by Carre et al. and Huang fail to teach a torsion spring. Isai teaches a torsion spring 131 used for biasing the actuating arm back to a non-actuated position or rest position. The torsion spring is positioned between the caliper and the actuating arm, with a first end adjustably connected to the caliper and a second end directly connected to the actuating arm. It would have been obvious to one of ordinary skill in the art to have provided the brake apparatus of Le Deit et al. with a return biasing member such as a torsion spring as taught by Isai, thus providing an inexpensive means by which to effectively release the brake. The torsion spring of Isai would have eliminated the need for spring surrounding the cable in Le Deit et al., each is considered functionally equivalent.

Art Unit: 3683

Re-claim 57, the torsion spring as taught by Isai is interpreted as being adjustably coupled to the caliper housing and the arm, since during assembly the torsion spring would experience some adjustment.

9. Claim 60 is rejected under 35 U.S.C. 103(a) as being unpatentable over Le Deit et al. as modified by Carre et al., Huang and Isai as applied to claim 58 above, and further in view of Mott.

Le Deit et al. as modified fails to teach a plurality of holes for receiving the torsion spring, wherein the holes allow for adjustment of the torsion spring. Mott teaches the use of a plurality of holes for receiving an end of a torsion spring. The various positions of the holes offer different biasing forces. It would have been obvious to one of ordinary skill in the art to have provided the caliper housing, and even the actuating arm of Le Deit et al. with a plurality of holes for receiving an end of the torsion spring as taught by Mott, this would have provided an easy means by which to vary the biasing force of the spring.

Allowable Subject Matter

10. Claims 1-36, 61, 63-65, 67 and 68 are allowed.

Response to Arguments

11. Applicant's arguments filed April 26, 2007 have been fully considered but they are not persuasive. The current Office policy regarding the examination of claims in a reissue application states "If the omitted limitation is replaced by another limitation that is not related to the subject matter previously surrendered by applicant, recapture exists, even though the replacement limitation is a material (narrowing) limitation, and even where the replacement limitation defines the claim(s) over the prior art." The applicant freely states that the added

Art Unit: 3683

limitations are a narrowing feature independent of the cancelled subject matter. As such the examiner must put the recapture rejection forth.

It is agreed that in some embodiments the cable support is capable of being placed in various positions relative to the caliper housing. However, the embodiment of figure 6 clearly allows for only one position of the cable support relative to the caliper housing. This is due in part to the presence of recesses along slot 56 for accommodating screw 60. The screw cannot pass through any other portion of slot 56, and as such the cable support 44 is broadly interpreted as being not adjustable in any direction, or at any time relative to the caliper housing.

With regards to the teaching of a protuberance, Carre et al. illustrate in figure 6 a top view of the guide surface. This illustration appears to show a slight protuberance located adjacent the cable, this protuberance is located near the second guide surface. With regards to claim 69, it is the opinion of the examiner that the cable support is broadly interpreted as being one piece with the surface of the caliper housing. This situation would exist once the cable support is fixedly attached to the caliper housing, as is done in the embodiment of figure 6. The steps leading up to final assembly of the apparatus does not eliminate the reference as prior art, since the claims are in fact directed to a final product or apparatus.

Conclusion

12. Any inquiries concerning this communication or earlier communications from the examiner should be directed to Thomas Williams whose telephone number is 571-272-7128. The examiner can normally be reached Wednesday-Friday from 6:00 AM to 4:30 PM.

Art Unit: 3683

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Devon Kramer, can be reached at 571-272-7118. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-6584.

TJW

May 9, 2007

THOMAS J. WILLIAMS
PRIMARY EXAMINER

Thomas Williams
AU 3683
5-9-07